

Quota mini-HOWTO

Table of Contents

Quota mini-HOWTO	1
Albert M.C. Tam bertie@scn.org	1
1.What is Quota?	1
2.Current Status of Quota on Linux	1
3.Requirements for Using Quota on Linux	1
4.Quota Setup on Linux – Part I: The Configuration	1
5.Quota Setup on Linux – Part II: Assigning Quota for Users and Groups	2
6.Miscellaneous Quota Commands	2
1.What is Quota?	2
2.Current Status of Quota on Linux	2
3.Requirements for Using Quota on Linux	2
3.1 Kernel	3
3.2 Quota software	3
4.Quota Setup on Linux – Part I: The Configuration	3
4.1 Reconfigure your kernel	3
4.2 Compile and install the quota softwares	3
4.3 Modify your system init script to check quota and turn quota on at boot time	3
4.4 Modify /etc/fstab	4
4.5 Create quota record "quota.user" and "quota.group"	4
4.6 Reboot	5
5.Quota Setup on Linux – Part II: Assigning Quota for Users and Groups	5
5.1 Assigning quota for a particular user	5
5.2 Assigning quota for a particular group	5
5.3 Assigning quota for a bunch of users with the same value	6
5.4 Soft Limit	6
5.5 Hard Limit	6
5.6 Grace Period	6
6.Miscellaneous Quota Commands	7
6.1 Quotacheck	7
6.2 Repquota	7
6.3 Quotaon and Quotaoff	7

Quota mini-HOWTO

Albert M.C. Tam bertie@scn.org

v0.0, 8 August 1997

Preamble: This document is copylefted by Albert M.C. Tam (bertie@scn.org). Permission to use, copy, distribute this document for non-commercial purposes is hereby granted, provided that the author's / editor's name and this notice appear in all copies and/or supporting documents; that this document is not modified. This document is distributed in hope that it will be useful, but WITHOUT ANY WARRANTY, either expressed or implied. While every effort has been taken to ensure the accuracy of the information documented herein, the author / editor / maintainer assumes NO RESPONSIBILITY for errors, or for damages results for the use of the information documented herein. This document describes how to enable file system quota on a Linux host, assigning quota for users and groups, as well as the usage of miscellaneous quota commands. It is intended for users running kernel 2.x (recently tested on RedHat 4.1 running kernel 2.0.27). Users running older kernels may need to upgrade to a newer kernel version in order to take advantage of quota. Feel free to send feedbacks or comments to bertie@scn.org if you find an error, or if any information is missing. I appreciate it.

[1. What is Quota?](#)

[2. Current Status of Quota on Linux](#)

[3. Requirements for Using Quota on Linux](#)

- [3.1 Kernel](#)
- [3.2 Quota software](#)

[4. Quota Setup on Linux – Part I: The Configuration](#)

- [4.1 Reconfigure your kernel](#)
- [4.2 Compile and install the quota softwares](#)
- [4.3 Modify your system init script to check quota and turn quota on at boot](#)
- [4.4 Modify /etc/fstab](#)
- [4.5 Create quota record "quota.user" and "quota.group"](#)
- [4.6 Reboot](#)

5. Quota Setup on Linux – Part II: Assigning Quota for Users and Groups

- [5.1 Assigning quota for a particular user](#)
- [5.2 Assigning quota for a particular group](#)
- [5.3 Assigning quota for a bunch of users with the same value](#)
- [5.4 Soft Limit](#)
- [5.5 Hard Limit](#)
- [5.6 Grace Period](#)

6. Miscellaneous Quota Commands

- [6.1 Quotacheck](#)
 - [6.2 Repquota](#)
 - [6.3 Quotaon and Quotaoff](#)
-

1. What is Quota?

Quota allows you to specify limits on two aspects of disk storage: the number of inodes a user or a group of users may possess; and the number of disk blocks that may be allocated to a user or a group of users.

The idea behind quota is that users are forced to stay under their disk consumption limit, taking away their ability to consume unlimited disk space on a system. Quota is handled on a per user, per file system basis. If there is more than one file system which a user is expected to create files, then quota must be set for each file system separately.

2. Current Status of Quota on Linux

Quota support has been integrated into kernel since version 1.3.8x I heard. Now it is part of the 2.0 release of the Linux kernel. If your system doesn't support quota, I really recommend an upgrade.

Currently, quota works for ext2 type file system only.

3. Requirements for Using Quota on Linux

3.1 Kernel

The 2.x kernel source is available from

```
http://sunsite.unc.edu/pub/Linux/kernel/v2.0
```

3.2 Quota software

Depending on the Linux distribution you have, you may, or may not have the quota softwares installed on your system. If you don't, then download the quota software source from

```
ftp://ftp.funet.fi/pub/Linux/PEOPLE/Linus/subsystems/quota/all.tar.gz.
```

[4. Quota Setup on Linux – Part I: The Configuration](#)

4.1 Reconfigure your kernel

Reconfigure your kernel and add quota support by typing y to:

```
Quota support (CONFIG_QUOTA) [n] y
```

4.2 Compile and install the quota softwares

The quota software source is available from

```
ftp://ftp.funet.fi/pub/Linux/PEOPLE/Linus/subsystems/quota/all.tar.gz
```

4.3 Modify your system init script to check quota and turn quota on at boot time

Here's an example:

```
# Check quota and then turn quota on.
```

Quota mini-HOWTO

```
if [ -x /usr/sbin/quotacheck ]
then
    echo "Checking quotas. This may take some time."
    /usr/sbin/quotacheck -avug
    echo " Done. "
fi
if [ -x /usr/sbin/quotaon ]
then
    echo "Turning on quota."
    /usr/sbin/quotaon -avug
fi
```

The golden rule is that always turn quota on after your file systems in `/etc/fstab` have been mounted, otherwise quota will fail to work. I recommend turning quota on at the end of your system init script, or, if you like, right after the part where file systems are mounted in your system init script.

4.4 Modify `/etc/fstab`

Partitions that you have not yet enabled quota normally look something like:

<code>/dev/hda1</code>	<code>/</code>	<code>ext2</code>	<code>defaults</code>	<code>1</code>	<code>1</code>
<code>/dev/hda2</code>	<code>/usr</code>	<code>ext2</code>	<code>defaults</code>	<code>1</code>	<code>1</code>

To enable user quota support on a file system, add "usrquota" to the fourth field containing the word "defaults" (man `fstab` for details).

<code>/dev/hda1</code>	<code>/</code>	<code>ext2</code>	<code>defaults</code>	<code>1</code>	<code>1</code>
<code>/dev/hda2</code>	<code>/usr</code>	<code>ext2</code>	<code>defaults,usrquota</code>	<code>1</code>	<code>1</code>

Replace "usrquota" with "grpquota", should you need group quota support on a file system.

<code>/dev/hda1</code>	<code>/</code>	<code>ext2</code>	<code>defaults</code>	<code>1</code>	<code>1</code>
<code>/dev/hda2</code>	<code>/usr</code>	<code>ext2</code>	<code>defaults,grpquota</code>	<code>1</code>	<code>1</code>

Need both user quota and group quota support on a file system?

<code>/dev/hda1</code>	<code>/</code>	<code>ext2</code>	<code>defaults</code>	<code>1</code>	<code>1</code>
<code>/dev/hda2</code>	<code>/usr</code>	<code>ext2</code>	<code>defaults,usrquota,grpquota</code>	<code>1</code>	<code>1</code>

4.5 Create quota record "quota.user" and "quota.group"

Both quota record files, `quota.user` and `quota.group`, should be owned by root, and read-write permission for root and none for anybody else.

Login as root. Go to the root of the partition you wish to enable quota, then create `quota.user` and `quota.group` by doing:

```
touch /partition/quota.user
```

```
touch /partition/quota.group
chmod 600 /partition/quota.user
chmod 600 /partition/quota.group
```

4.6 Reboot

Now reboot system for the changes you have made to take effect.

Also note that subsequent partitions you wish to enable quota in the future only require step 4, 5, and 6.

[5. Quota Setup on Linux – Part II: Assigning Quota for Users and Groups](#)

This operation is performed with the `edquota` command (man `edquota` for details).

I would normally run `quotacheck` with the flags `-avug` to obtain the most updated filesystems usage prior to editing quota. This is just a personal habit, and not a required step however.

5.1 Assigning quota for a particular user

Here's an example. I have a user with the login id `bob` on my system. The command `"edquota -u bob"` takes me into `vi` (or editor specified in my `$EDITOR` environment variable) to edit quota for user `bob` on each partition that has quota enabled:

```
Quotas for user bob:
/dev/hda2: blocks in use: 2594, limits (soft = 5000, hard = 6500)
          inodes in use: 356, limits (soft = 1000, hard = 1500)
```

"blocks in use" is the total number of blocks (in kilobytes) a user has consumed on a partition.

"inodes in use" is the total number of files a user has on a partition.

5.2 Assigning quota for a particular group

Now I have a group `games` on my system. `"edquota -g games"` takes me into the `vi` editor again to edit quota for the group `games`:

```
Quotas for group games:
/dev/hda4: blocks in use: 5799, limits (soft = 8000, hard = 10000)
          inodes in use: 1454, limits (soft = 3000, hard = 4000)
```

5.3 Assigning quota for a bunch of users with the same value

To rapidly set quotas for, say 100 users, on my system to the same value as my user bob, I would first edit bob's quota information by hand, then execute:

```
edquota -p bob `awk -F: '$3 > 499 {print $1}' /etc/passwd`
```

assuming that you are using csh, and that you assign your user UID's starting with 500.

In addition to edquota, there are 3 terms which you should familiarize yourself with: Soft Limit, Hard Limit, and Grace Period.

5.4 Soft Limit

Soft limit indicates the maximum amount of disk usage a quota user has on a partition. When combined with grace period, it acts as the border line, which a quota user is issued warnings about his impending quota violation when passed.

5.5 Hard Limit

Hard limit works only when grace period is set. It specifies the absolute limit on the disk usage, which a quota user can't go beyond his hard limit.

5.6 Grace Period

Executed with the command "edquota -t", grace period is a time limit before the soft limit is enforced for a file system with quota enabled. Time units of sec(onds), min(utes), hour(s), day(s), week(s), and month(s) can be used. This is what you'll see with the command "edquota -t":

```
Time units may be: days, hours, minutes, or seconds
Grace period before enforcing soft limits for users:
/dev/hda2: block grace period: 0 days, file grace period: 0 days
```

Change the 0 days part to any length of time you feel reasonable. I personally would choose 7 days (or 1 week).

6. Miscellaneous Quota Commands

6.1 Quotacheck

Quotacheck is used to scan a file system for disk usages, and updates the quota record file "quota.user" to the most recent state. I recommend running quotacheck at system bootup, or via cronjob periodically (say, every week?).

6.2 Repquota

Repquota produces a summarized quota information for a file system. Here is a sample output repquota gives:

```
# repquota -a
```

User	used	Block limits			File limits			
		soft	hard	grace	used	soft	hard	grace
root	-- 175419	0	0		14679	0	0	
bin	-- 18000	0	0		735	0	0	
uucp	-- 729	0	0		23	0	0	
man	-- 57	0	0		10	0	0	
user1	-- 13046	15360	19200		806	1500	2250	
user2	-- 2838	5120	6400		377	1000	1500	

6.3 Quotaon and Quotaoff

Quotaon is used to turn on quota accounting; quotaoff to turn it off. Actually both files are similar. They are executed at system startup and shutdown.
